

| — EUROSPOOLS • EU B2B CATALOG

PLASTIC SPOOLS FOR WELDING WIRE & 3D FILAMENT D100T

Key Features:

- High dimensional accuracy
- Stable winding geometry
- Recyclable material
- Custom colors available
- OEM production available

Material Options:

- Recycled PS+ABS
- Recycled PS
- Custom on request


Applications:

- MIG Welding Wire
- Flux Cored Wire
- Stainless Wire
- 3D Filament
- Technical Wire

Quality Control:

- Weight control
- Dimensional control
- Visual inspection





MAIN PHOTO

D100T Plastic Spool

Modified D100 with reinforced flanges for increased stability during winding and transport. Suited to automated lines with higher requirements on packaging strength. Typically used for welding wire weighing 0.45–1 kg.

APPLICATIONS


- › Welding wire
- › 3D filament
- › Other wound products, depending on technical requirements



OPEN CARTON · EMPTY SPOOLS CARTON VIEW



PALLETIZED CARTONS · STRETCH WRAP PALLET



Technical specifications

DATASHEET

OUTER FLANGE DIAMETER (D1), MM	99
WINDING DIAMETER (D2), MM	49.5
CENTRAL HOLE (D3), MM	16.0
EXTERNAL WIDTH (L1), MM	45.5
WINDING WIDTH (L2), MM	40.1
MATERIAL	Polystyrene (PS), injection molded
COLORS	Black, white, transparent, blue
PRODUCT WEIGHT, G	55
MAX WINDING WEIGHT, KG	1

Packaging

CARTON & PALLET

QUANTITY PER CARTON, PCS	160
CARTON DIMENSIONS (L×W×H), MM	600 × 400 × 220
QUANTITY PER PALLET, PCS	5 120
BOXES PER PALLET, PCS	32
PALLET DIMENSIONS (L×W×H), MM	1200 × 800 × 1950
FULL TRUCK LOAD, PCS	122 880

SUPPLY OPTIONS

Black stock; custom colors (white, transparent, blue) on request for project-based quantities.






CONTACTS




WEBSITE
eurospools.com




EMAIL
info@eurospools.com



PHONE
[+40 743 131 565](tel:+40743131565)



WHATSAPP
[+40 743 131 565](https://wa.me/40743131565)



TELEGRAM
[@eurospools_bot](https://t.me/eurospools_bot)



LOCATION
Suceava, Romania

[Request a Quote →](#)