

| — EUROSPOLS • EU B2B CATALOG

PLASTIC SPOOLS FOR WELDING WIRE & 3D FILAMENT D170

Key Features:

- High dimensional accuracy
- Stable winding geometry
- Recyclable material
- Custom colors available
- OEM production available

Material Options:

- Recycled PS+ABS
- Recycled PS
- Custom on request


Applications:

- MIG Welding Wire
- Flux Cored Wire
- Stainless Wire
- 3D Filament
- Technical Wire

Quality Control:

- Weight control
- Dimensional control
- Visual inspection





MAIN PHOTO

D170 Plastic Spool

Universal solution for winding welding wire weighing up to 3 kg. Stable geometry for serial production and compatibility with most industrial feeding mechanisms.

APPLICATIONS


- › Welding wire
- › 3D filament
- › Other wound products, depending on technical requirements



OPEN CARTON • EMPTY SPOOLS CARTON VIEW



PALLETIZED CARTONS • STRETCH WRAP PALLET



Technical specifications

DATASHEET

OUTER FLANGE DIAMETER (D1), MM	170
WINDING DIAMETER (D2), MM	95
CENTRAL HOLE (D3), MM	53
EXTERNAL WIDTH (L1), MM	44
WINDING WIDTH (L2), MM	36
MATERIAL	Polystyrene (PS), injection molded
COLORS	Black, white, transparent, blue
PRODUCT WEIGHT, G	137
MAX WINDING WEIGHT, KG	3

Packaging

CARTON & PALLET

QUANTITY PER CARTON, PCS	44
CARTON DIMENSIONS (L×W×H), MM	600 × 400 × 220
QUANTITY PER PALLET, PCS	1 408
BOXES PER PALLET, PCS	32
PALLET DIMENSIONS (L×W×H), MM	1200 × 800 × 1950
FULL TRUCK LOAD, PCS	33 792

SUPPLY OPTIONS

Black stock; custom colors (white, transparent, blue) on request for project-based quantities.





CONTACTS



WEBSITE
eurospools.com




EMAIL
info@eurospools.com




PHONE
+40 743 131 565



WHATSAPP
+40 743 131 565



TELEGRAM
@eurospools_bot



LOCATION
Suceava, Romania

Request a Quote →