

| — EUROSPOOLS • EU B2B CATALOG

PLASTIC SPOOLS FOR WELDING WIRE & 3D FILAMENT D200G

Key Features:

- High dimensional accuracy
- Stable winding geometry
- Recyclable material
- Custom colors available
- OEM production available

Material Options:

- Recycled PS+ABS
- Recycled PS
- Custom on request


Applications:

- MIG Welding Wire
- Flux Cored Wire
- Stainless Wire
- 3D Filament
- Technical Wire

Quality Control:

- Weight control
- Dimensional control
- Visual inspection





MAIN PHOTO

D200G Plastic Spool

Modification of D200 with a revised flange profile for improved wire protection during transport and storage. Optimized for high-speed automated winding lines. Used for filament winding.

APPLICATIONS



- › Welding wire
- › 3D filament
- › Other wound products, depending on technical requirements



OPEN CARTON • EMPTY SPOOLS **CARTON VIEW**



PALLETIZED CARTONS • STRETCH WRAP **PALLET**



Technical specifications

DATASHEET

OUTER FLANGE DIAMETER (D1), MM	198
WINDING DIAMETER (D2), MM	104
CENTRAL HOLE (D3), MM	53
EXTERNAL WIDTH (L1), MM	52.2
WINDING WIDTH (L2), MM	44.2
MATERIAL	Polystyrene (PS), injection molded
COLORS	Black, white, transparent, blue
PRODUCT WEIGHT, G	203
MAX WINDING WEIGHT, KG	5

Packaging

CARTON & PALLET

QUANTITY PER CARTON, PCS	60
CARTON DIMENSIONS (L×W×H), MM	690 × 530 × 470
QUANTITY PER PALLET, PCS	1 200
BOXES PER PALLET, PCS	20
PALLET DIMENSIONS (L×W×H), MM	1200 × 1000 × 1970
FULL TRUCK LOAD, PCS	28 800

SUPPLY OPTIONS

Black stock; custom colors (white, transparent, blue) on request for project-based quantities.





CONTACTS



WEBSITE
eurospools.com




EMAIL
info@eurospools.com




PHONE
+40 743 131 565



WHATSAPP
+40 743 131 565



TELEGRAM
@eurospools_bot



LOCATION
Suceava, Romania

Request a Quote →